



Schwerlastrollen Heavy duty castors



505a Lenkrolle / Swivel castor

504a Bockrolle / Fixed castor



505a 0SK085p ZPS	85	85	125	57	190x170	16,5	150x135	1200	●



504a 0SK085p ZPS	85	85	125		190x170	16,5	150x135	1200	●



505a 18K085v ZPS	85	85	125	57	190x170	16,5	150x135	700	●



504a 18K085v ZPS	85	85	125		190x170	16,5	150x135	700	●

● Artikel auf Anfrage / product on request

Möbelrollen / Furniture castors
 Apparaterollen / Apparatus castors
 Medizinisch-Technische Rollen / Medical equipment castors
 Transportgeräterollen / Transport appliance castors
 Edelstahlrollen / Stainless steel castors
 Backerrollen / Bakery castors
 Räder / Wheels
 Zubehör / Accessories

Schwerlastrollen
Heavy duty castors

Technische Beschreibung

- schwere Stahlschweißkonstruktion mit Spezial-Drehkranz
- verzinkt-passiviert
- geprägte Kugelbahn oben, Kegelrollenlager unten
- Fettfüllung und Schmiemippel im Gabelkopf

Radserie 0SKp

- Polyamid weiß
- Präzisionskugellager
- schwere Ausführung mit hoher Tragfähigkeit

Radserie 18Kv

- Polyurethan-Bandage rotorange (Shore A 95)
- Guss-Radkörper
- Präzisionskugellager

Technical description

- heavy steel welded construction with special turntable
- zinc passivated
- pressed ball track above, with tapered roller bearing below
- grease filling and grease nipple in fork head

Wheel series 0SKp

- polyamide white
- precision ball bearing
- heavy execution

Wheel series 18Kv

- Polyurethane tyre red-orange (Shore A 95)
- bonded on cast wheel centre
- precision ball bearing



510a Bockrolle / Fixed castor

510i Lenkrolle mit Totalfeststeller vorlaufend / Swivel castor with total brake mounted in front

509a Bockrolle / Fixed castor



510a 18K125v ZPS		125	40	192,5	50	190x110	17	150x75	350	•
510a 18K150v ZPS		150	50	220	58	190x110	17	150x75	700	•
510a 18K200v ZPS		200	50	265	68	190x110	17	150x75	950	•
510a 18K250v ZPS		250	50	315	80	190x110	17	150x75	1000	•
510i 18K125v ZPS		125	40	192,5	50	190x110	17	150x75	350	•
510i 18K150v ZPS		150	50	220	58	190x110	17	150x75	700	•
510i 18K200v ZPS		200	50	265	68	190x110	17	150x75	950	•
510i 18K250v ZPS		250	50	315	80	190x110	17	150x75	1000	•
509a 18K125v ZPS		125	40	192,5		190x110	17	150x75	350	•
509a 18K150v ZPS		150	50	220		190x110	17	150x75	700	•
509a 18K200v ZPS		200	50	265		190x110	17	150x75	950	•
509a 18K250v ZPS		250	50	315		190x110	17	150x75	1000	•

• Artikel auf Anfrage / product on request

Technische Beschreibung

- schwere Stahlschweißkonstruktion
- verzinkt-passiviert
- Spezial-Drehkranz mit geprägter Kugelbahn oben und Kegelrollenlager unten
- Fettfüllung und Schmiernippel im Gabelkopf

Radserie 18Kv

- Polyurethan-Bandage rotorange (Shore A 95)
- Guss-Radkörper
- Präzisionskugellager

Technical description

- heavy steel welded construction with special turntable
- zinc passivated
- pressed ball track above, with tapered roller bearing below
- grease filling and grease nipple in fork head

Wheel series 18Kv

- Polyurethane tyre red-orange (Shore A 95)
- bonded on cast wheel centre
- precision ball bearing

TSH Lenkrolle / Swivel castor

TSH-F Lenkrolle mit Totalfeststeller vorlaufend / Swivel castor with total brake mounted in front

TFH Bockrolle / Fixed castor

Michelrollen
Furniture castors

Apparaterollen
Apparatus castors

Medizinisch-Technische Rollen
Medical equipment castors

Transportgeräterollen
Transport appliance castors

Edelstahlrollen
Stainless steel castors

Schwerlastrollen
Heavy duty castors

Bäckerrollen
Bakery castors

Räder
Wheels

Zubehör
Accessories



TSH 100 PT2H	100	38	152	52	150x110	12/10	120/105x60/75	340	
TSH 125 PT2H	125	38	177	55,5	150x110	12/10	120/105x60/75	425	
TSH 150 PT2H	150	38	202	62	150x110	12/10	120/105x60/75	730	•
TSH 200 PT2H	200	45	252	66	150x110	12/10	120/105x60/75	1100	•
TSH 250 PT2H	250	45	303	82	150x110	12/10	120/105x60/75	1200	•
TSH 300 PT2H	300	45	353	95	150x110	12/10	120/105x60/75	1400	•



TSH 150 PT2HF	150	38	202	62	150x110	12/10	120/105x60/75	730	•
TSH 200 PT2HF	200	45	252	66	150x110	12/10	120/105x60/75	1100	•



TFH 100 PT2H	100	38	152		150x115	12/10	120/105x60/75	340	
TFH 125 PT2H	125	38	177		150x115	12/10	120/105x60/75	425	
TFH 150 PT2H	150	38	202		150x115	12/10	120/105x60/75	730	•
TFH 200 PT2H	200	45	252		150x115	12/10	120/105x60/75	1100	•
TFH 250 PT2H	250	45	303		150x115	12/10	120/105x60/75	1200	•
TFH 300 PT2H	300	45	353		150x115	12/10	120/105x60/75	1400	•

• Artikel auf Anfrage / product on request

Technische Beschreibung

- schwere Stahlschweißkonstruktion
- verzinkt-passiviert
- Spezial-Drehkranz
- Fettfüllung und Schmiemippel im Gabelkopf

Radserie PT

- Polyurethan-Bandage (Shore A 92-97)
- Guss-Radkörper
- Präzisionskugellager

Technical description

- heavy steel welded construction
- zinc passivated
- swivel castor with special turntable
- grease filling and grease nipple in fork head

Wheel series PT

- Polyurethane tyre (Shore A 92-97)
- Cast iron centre
- Precision ball bearing



TSH Lenkrolle / Swivel castor

TSH-F Lenkrolle mit Totalfeststeller vorlaufend / Swivel castor with total brake mounted in front

TFH Bockrolle / Fixed castor



TSH 150 NY2H	150	50	202	62	150x110	12/10	120/105x60/75	800
TSH 200 NY2H	200	50	252	66	150x110	12/10	120/105x60/75	1500
TSH 250 NY2H	250	60	303	82	150x110	12/10	120/105x60/75	1500



TSH 150 NY2HF	150	50	202	62	150x110	12/10	120/105x60/75	800
TSH 200 NY2HF	200	50	252	66	150x110	12/10	120/105x60/75	1500



TFH 150 NY2H	150	50	202	150x115	12/10	120/105x60/75	800
TFH 200 NY2H	200	50	252	150x115	12/10	120/105x60/75	1500
TFH 250 NY2H	250	60	303	150x115	12/10	120/105x60/75	1500

Technische Beschreibung

- schwere Stahlschweißkonstruktion
- verzinkt-passiviert
- Spezial-Drehkranz
- Fettfüllung und Schmiemippel im Gabelkopf

Radserie NY

- Nylon-Rad weiß
- Präzisionskugellager

Technical description

- heavy steel welded construction
- zinc passivated
- swivel castor with special turntable
- grease filling and grease nipple in fork head

Wheel series NY

- nylon wheel white
- precision ball bearing

525a Lenkrolle / Swivel castor

525i Lenkrolle mit Totalfeststeller vorlaufend / Swivel castor with total brake mounted in front

526a Bockrolle / Fixed castor

Michelrollen
Furniture castors

Apparaterollen
Apparatus castors

Medizinisch-Technische Rollen
Medical equipment castors

Transportgeräterollen
Transport appliance castors

Edelstahlrollen
Stainless steel castors

Schwerlastrollen
Heavy duty castors

Bäckerrollen
Bakery castors

Räder
Wheels

Zubehör
Accessories



525a 18K125v ZPS	125	2x40	192,5	50	190x170	17	150x135	700	●
525a 18K150v ZPS	150	2x50	220	58	190x170	17	150x135	1300	●
525a 18K200v ZPS	200	2x50	265	68	190x170	17	150x135	1450	●
525a 18K250v ZPS	250	2x50	315	80	190x170	17	150x135	1500	●



525i 18K125v ZPS	125	2x40	192,5	50	190x170	17	150x135	700	●
525i 18K150v ZPS	150	2x50	220	58	190x170	17	150x135	1300	●
525i 18K200v ZPS	200	2x50	265	68	190x170	17	150x135	1450	●
525i 18K250v ZPS	250	2x50	315	80	190x170	17	150x135	1500	●



526a 18K125v ZPS	125	2x40	192,5		190x170	17	150x135	700	●
526a 18K150v ZPS	150	2x50	220		190x170	17	150x135	1300	●
526a 18K200v ZPS	200	2x50	265		190x170	17	150x135	1450	●
526a 18K250v ZPS	250	2x50	315		190x170	17	150x135	1500	●

● Artikel auf Anfrage / product on request

Technische Beschreibung

- schwere Stahlschweißkonstruktion
- verzinkt-passiviert
- Spezial-Drehkranz mit geprägter Kugelbahn oben und Kegelrollenlager unten
- Fettfüllung und Schmiernippel im Gabelkopf

Radserie 18Kv

- Polyurethan-Bandage rotorange (Shore A 95)
- Guss-Radkörper
- Präzisionskugellager

Technical description

- heavy steel welded construction with special turntable
- zinc passivated
- pressed ball track above, with tapered roller bearing below
- grease filling and grease nipple in fork head

Wheel series 18Kv

- Polyurethane tyre red-orange (Shore A 95)
- bonded on cast wheel centre
- precision ball bearing



2SH Lenkrolle / Swivel castor

2FH Bockrolle / Fixed castor



2SH 125 PT2H	125	2x38	177	62,5	150x110	12/10	120/105x60/75	720	
2SH 150 PT2H	150	2x38	202	65	150x110	12/10	120/105x60/75	1240	•
2SH 200 PT2H	200	2x45	252	70	150x110	12/10	120/105x60/75	1500	•



2FH 150 PT2H	150	2x38	202	150x175	12/10	120/105x60/75	1240	1240	•
2FH 200 PT2H	200	2x45	252	150x175	12/10	120/105x60/75	1500	1500	•



2SH 150 NY2H	150	2x50	202	65	150x110	12/10	120/105x60/75	1360	
2SH 200 NY2H	200	2x50	252	70	150x110	12/10	120/105x60/75	1500	



2FH 150 NY2H	150	2x50	202	150x175	12/10	120/105x60/75	1360	1360	
2FH 200 NY2H	200	2x50	252	150x175	12/10	120/105x60/75	1500	1500	

• Artikel auf Anfrage / product on request

Technische Beschreibung

- schwere Stahlschweißkonstruktion mit Spezial-Drehkranz
- verzinkt-passiviert
- Artikel 2SH...W mit Radfeststeller
- auch mit Richtungsfeststeller 2SH...D lieferbar

Radserie PT

- Polyurethan-Bandage (Shore A 92-97)
- Guss-Radkörper
- Präzisionskugellager

Radserie NY

- Nylon-Rad weiß
- Präzisionskugellager

Technical description

- heavy steel welded construction with special turntable
- zinc passivated
- article 2SH...W including wheel brake
- also available with directional lock 2SH...D

Wheel series PT

- Polyurethane tyre (Shore A 92-97)
- Cast iron centre
- Precision ball bearing

Wheel series NY

- nylon wheel white
- precision ball bearing